

# OKI® B6200 & B6300

## Warranty, Regulatory, and Safety Information

### Limited Warranty: U.S. & Canada

Oki Data Americas, Inc. (Oki Data) warrants this printer to be free from defect in material and workmanship and will remedy any such defect according to the terms of this *Limited Warranty*.

This *Limited Warranty* extends to the original purchaser only. This *Limited Warranty* does not extend to consumable items.

Oki Data will repair (or at its option, replace) at no charge, any defective component(s) for one (1) year on site from the date of purchase (*U.S. and Canada only*—see details below)

To make request or claim for service under this *Limited Warranty*, contact your Oki Data Authorized Dealer, authorized third-party service provider, or Oki Data.

A written receipt for the product, showing the date of purchase, dealer's name, and serial number of the printer, must accompany any request or claim for work to be performed under this *Limited Warranty*.

This *Limited Warranty* shall not apply if the product has been damaged due to abuse, misuse, misapplication, accident, or as a result of service or modification by any other than an authorized Oki service center.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE ON THE FACE HEREOF AND DESCRIBED ABOVE. NO WARRANTIES WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, SHALL EXTEND BEYOND THE RESPECTIVE WARRANTY PERIOD DESCRIBED ABOVE OF ONE (1) YEAR ON SITE. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

OKI DATA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSS ARISING FROM THE USE OF THIS PRODUCT. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you.

Additional information on obtaining service under this *Limited Warranty* is available by contacting the Oki Data

dealer from whom the product was purchased, by contacting Oki Data directly at 1-800-654-3282 (1-800-OKI-DATA) [U.S. and Canada] or at 1-856-222-7496 (Spanish only), or by contacting one of the listed service locations.

This *Limited Warranty* applies to this Oki Data printer. However, the procedure for obtaining service may vary outside the continental United States. Contact your Oki Data dealer for such warranty service information.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

### On-Site Repair

**Note:** On-Site Repair is available in the United States and Canada only. On-Site Repair does not include the replacement or repair of product consumables or supplies.

Oki Data will, for a period of one (1) year from the date of original purchase, repair or replace (at Oki Data's option) on-site at the original purchaser's facility and without charge, any defective component(s) of the printer, provided that the warranty service is performed by an Oki Data authorized service provider. Oki Data reserves the right to use new and/or refurbished parts for the warranty repair.

As a condition of this *Limited Warranty*, requests for On-Site Repair must include the name and phone number of a fully competent and responsible adult with the authority to consent to the entry of the servicing technician to the premises where the printer is located, and who will remain with the servicing technician while the service work is performed. Any and all dangerous conditions must be removed from the site prior to and throughout the time a service technician is present. The service technician may refrain from entering the premises or continuing to provide services at any site, if in the servicing technician's reasonable judgement the site poses a risk of physical harm or danger. If warranty services cannot be performed or completed due to any of the foregoing reasons the On-Site service option is null and void and the product must be returned to an authorized Oki Data service location for warranty repair service.

# Service and Support: U.S. & Canada

Oki Data is firmly committed to the satisfaction of our customers. If you have a problem that your customer documentation cannot solve, contact the listed sources for service or support.

## Oki Data Service Providers

For the most comprehensive, up-to-date listing of Oki Data authorized Service Centers in the United States and Canada:

- In the U.S. go to **www.okidata.com** and click Dealer Locator.
- In the U.S. and Canada, call 1-800-654-3282 (1-800-OKI-DATA).

## Oki Data Contact Locations

United States	Canada
Oki Data Americas, Inc. 2020 Bishops Gate Blvd. Mt. Laurel, NJ 08054 Phone: 1-800-654-3282 Fax: 1-856-222-5247	Oki Data Americas, Inc. 2735 Matheson Blvd. East, Unit 1 Mississauga, Ontario Canada L4W 4M8 Phone: 1-800-654-3282 Fax: 1-905-238-4421

## Sales and Service Dealers

Consult the store location where you purchased your machine, or contact Oki Data for the location of the nearest Authorized Oki Data Service Dealer.

- Prices and minimum charges may vary.
- Proof of purchase is required for warranty work. Be sure to retain your purchase documents.

## Telephone Support

### Automated Services for Your Convenience

#### Quick Referrals

To get quick referrals for a local Sales and Service Authorized Reseller, including products, parts and consumable supplies, contact us at any time:

- 1-800-654-3282 (1-800-OKI-DATA)
- [www.OKIDATA.com](http://www.OKIDATA.com)

## Your Own Personal Solutions Center

**my.okidata.com**  
Your Personal Solutions Center

You can easily create your own Personal Solutions Center providing up-to-the-minute Oki information specifically for your product, including:

- Product news
- Manuals
- Drivers and utilities
- Material Safety Data Sheets
- Searchable knowledge base
- and much more!

Just take a few minutes setting it up once, then you can check your Personal Solutions Center for the latest information at any time.

Get started today by visiting <http://MY.OKIDATA.com>.

## Customer Support Professionals 1-800-654-3282 (1-800-OKI-DATA)

Customer Support Professionals are available 24 hours a day, 7 days a week. Please have the model number and serial number for your machine handy. Be sure that you are calling from a telephone close to your machine so you can describe your problem accurately and follow up on the suggestions of the Customer Support Professional right while you are on the phone.

Our Customer Support Professionals are trained on all current Oki products. They can answer your questions regarding:

- Locations of sales and service dealers
- Installation of your machine
- Usage/normal maintenance of your machine
- Error message interpretation/solutions
- Parts and supplies identification
- Consumer relations

**Note:** Customer Support Representatives are not trained to provide assistance with the use of commercial software packages. Please consult your software user's manual for times and availability of their support.

## Limited Warranty: Latin America

Oki Data warrants this printer (hereinafter Product) to be free in defect in material and workmanship and will remedy any such defect according to the terms of this *Limited Warranty*. This *Limited Warranty* does not extend to consumable items, including but not limited to print cartridges, fuses, etc.

Oki Data will repair (or at its option, replace) at no charge, any defective component(s) of the printer for a period of one (1) year from the date of purchase.

This *Limited Warranty* extends to the original purchaser only.

To make a request or claim for service under this *Limited Warranty* the original purchaser must return the Oki Data Product to an Authorized Oki Data Service Center within the country purchased. The purchaser returning the Product for repair must pay for all transportation charges to the repair center. A written receipt for the Product, showing the date of purchase, dealer's name, and both the model and serial numbers of the Oki Data Product must accompany any request or claim for work to be performed under this *Limited Warranty*.

This shall not apply if the Product has been damaged due to abuse, misuse, misapplication, accident, or as a result of service or modification by any other than an authorized Oki Data service center.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE ON THE FACE HEREOF AND DESCRIBED ABOVE. NO WARRANTIES EXPRESS OR APPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, SHALL EXTEND BEYOND THE RESPECTIVE WARRANTY PERIOD DESCRIBED ABOVE OF ONE (1) YEAR.

OKI DATA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSS ARISING FROM THE USE OF THIS PRODUCT

## Service and Support: Latin America

### Oki Data Authorized Service Providers

For the most comprehensive, up-to-date listing of Oki Data authorized Service Centers in Latin America:

- Consult our web site **[www.okidata.com](http://www.okidata.com)**.
- In Spanish-speaking countries, contact the Latin America Service Coordinator at Oki Data's Corporate Headquarters at +856-222-5276 (Spanish only).

### Oki Data Contact Locations

<b>Mexico</b>	<b>Brazil</b>
Oki Data de Mexico, S.A. de C.V. Rua Alexandre Dumas, No. 748-8 Col. Anzures, e.p. 11590 Mexico, DF Phone: 52-555-263-8780 Fax: 52-555-250-3501	Oki Data do Brasil, Ltda. Mariano Escobedo 2220 - 8º andar Chácara Sto Antonio São Paulo, SP Brazil 04717-004 Phone: (5511) 3444-3500 Fax: (5511) 3444-3501 Support Center: 0800-11-55-77 e-mail: okidata@okidata.com.br

If you are having a problem with your Oki product, please contact any of the Authorized Service Centers shown for your Country/Region on our Web site, [www.okidata.com](http://www.okidata.com).

### Contacting Oki Data Latin America

If you are having a problem with your Oki printer or need service, please contact the store where you bought your Oki product or contact any of the Authorized Service Centers shown for your Country/Region on our Web site [www.okidata.com](http://www.okidata.com) for information.

- Prices and charges may vary.
- A copy of the proof of purchase is required for the warranty process.

# Safety Notes

Your Oki printer has been carefully designed to give you years of safe, reliable performance. As with all electrical equipment, there are a few basic precautions you should take to avoid hurting yourself or damaging the printer.

- Carefully read the provided setup and operating instructions.
- Save all provided documentation for future reference.
- Read and follow all warning and instruction labels on the printer itself.
- Unplug the printer before you clean it. Use only a damp cloth; do not use liquid or aerosol cleaners.
- Place your printer on a firm, solid surface. If you put it on something unsteady, it may fall and be damaged. If you place it on a soft surface, such as a rug, sofa, or cushion, the vents may be blocked, causing the printer to overheat.
- Protect your printer from overheating. Make sure no obstructions block the openings of the printer. Do not put the printer on or near a heat source (such as a radiator or heat register). Keep the printer out of direct sunlight. Allow enough room around the printer for adequate ventilation and easy access to the paper trays. If you put the printer in any kind of enclosure, make sure the enclosure is properly ventilated.
- Do not use your printer near water. Do not spill liquid of any kind into it.
- Be certain that your power source matches the rating listed on the back of the printer. If you are not sure, check with your dealer or with your local power company.
- Your printer has a grounded, three-prong plug as a safety feature. This plug only fits into a grounded outlet. If the plug does not fit, the outlet may be an older, non-grounded type. Contact an electrician to have the outlet replaced. Do not use an adapter to defeat the grounding.
- Install the printer near an easily accessed power outlet.
- Avoid damaging the power cord. Do not put anything on it or place it where it will be walked on. If the cord becomes damaged or frayed, replace it immediately.
- If you are using an extension cord or power strip with the printer, make sure that the total of the amperes required by all the equipment on the extension is less than the extension's rating. The total ratings of all equipment plugged into the outlet should not exceed 15 amperes.
- Do not poke anything into the ventilation slots of the printer. You could get an electrical shock or cause hazardous electrical arcing, which could cause a fire.
- Aside from the routine maintenance described in the documentation, do not try to service the printer yourself. Removing the cover may expose you to shocks or other hazards.
- Do not make any adjustments other than those outlined in the documentation. You may cause damage that will require extensive repair work. The provided documentation

explains how to get your printer serviced by qualified Oki Data technicians.

If anything happens that indicates that your printer is not working properly or has been damaged, unplug it immediately and follow the procedures in the provided documentation for having your printer serviced.

Here are some of the things to look for:

- The power cord or plug is frayed or damaged.
- Liquid has been spilled into the printer, or the printer has been exposed to water.
- The printer has been dropped, or the cabinet has been damaged.
- The printer doesn't function normally when you are following the operating instructions

## Safety Compliance

This product conforms the following safety standards:

- UL1950
- CSA C22.2 No. 950
- EN 60950
- IEC 950

## Class 1 Laser Device and CDRH Compliance

This printer is certified as a Class 1 laser product under the U.S. Department of Health and Human Services (DHHS) Radiation Performance Standard according to the Radiation Control for Health and Safety Act of 1968. This certification indicates that the printer does not emit hazardous laser radiation. Since radiation emitted inside the printer is completely confined within the protective housings and external covers, the laser beam cannot escape from the machine during any phase of user operation.

The Center for Devices and Radiological Health (CDRH) of the U.S. Food and Drug Administration implemented regulations for laser products on August 1976. These regulations apply to laser products marketed in the United States. The label on the printer indicates compliance with the CDRH regulations and must be attached to laser products marketed in the United States.

## EMC Standards

This product also conforms to the following EMC standards:

- VCCI V-3/97.04
- AS/NZS 3548:1995 including A1:1997 and A2:1997
- EN55022: 1994 including A1:1995 and A2:1997
- FCC Part 15, Subpart B (CFR 47, 1995)
- CISPR22: 1993 including A1:1995 and A2:1996

# Regulatory Information

## ENERGY STAR®



As an ENERGY STAR Partner, Oki Data has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

## Year 2000 Compliance

This product is Year 2000 Compliant. It contains information technology that accurately processes date and time data between the years 1999 and 2000, and carries no issue for the September 9, 1999 (9999) programming concern. This product, when used in combination with products purchased from other manufacturers, whose products properly exchange data and time information, will accurately process the date and time.

## Federal Communications Commission (FCC)

### FCC Declaration of Conformity

#### 1. Product Identification

Product Name	Model No.
B6200	JEA-1 (110-127V)
B6300	JEA-2 (110-127V)

#### 2. Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### 3. Responsible Party

Oki Data Americas, Inc.  
2000 Bishops Gate Boulevard  
Mt. Laurel, NJ 08054-4620  
1-800-654-3282 (1-800-OKI-DATA)

## FCC Radio Frequency Interference Statement

**WARNING:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in

a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference using one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Plug the unit into an outlet on a circuit different from that to which the receiver is connected.
- Consult with the dealer or an experienced radio/television technician to help.

**Note:** It is the responsibility of the user to obtain the required shielded cable in order to ensure compliance of this equipment with FCC regulations.

Changes or modifications not expressly approved by Oki Data may void your authority to operate this device.

## Industry Canada (IC) Radio Interference Statement

This Oki Data apparatus complies with the Class B limits for radio interference as specified in the IC Radio Interference Regulations.

## European Union Council of the European Communities (EU) Statements of Conformance

### Electromagnetic Conformance

This product complies with the requirements of the Council Directive 89/336/EEC on the approximation of the laws of the member states relating to electromagnetic compatibility.

### Safety Conformance

This product is in conformity with Directive 73/23/EEC on the harmonization of the laws of Member States relating to electrical equipment designed for use within certain voltage limits.

# Environmental Requirements

Do not place the printer in a hot, humid, dusty, or poorly ventilated environment. Prolonged exposure to these adverse conditions may cause fire or expose you to electric shock.

The printer is capable of operating normally within the following environmental limits:

- Temperature range: 41°F to 95°F (5°C to 35°C)
  - At high temperatures (95°F [35°C]), humidity should be at or below 70%.
- Humidity range: 15% to 85% (no condensation)
  - At maximum humidity (85%), temperature should be at or below 82°F (28°C).

# Material Safety Data Sheet #58367401

**52114501 Print Cartridge Toner**

**52114502 Print Cartridge Toner**

For more information, contact Oki Data at 2000 Bishops Gate Blvd., Mount Laurel, NJ, 08054-4620.

Emergency Information: call 1-800-654-3282; US & Canada Only.

## Emergency First Aid

### **Toner swallowed (ingested).**

Rinse out mouth with water and give several glasses of water to drink. Seek medical attention.

### **Toner inhaled.**

Remove person to fresh air. Rinse mouth with water.

### **Toner gets in the eyes.**

Flush eyes with large quantities of cool water for 15 minutes, keeping the eyelids open with fingers. Seek medical attention.

### **Toner gets on the skin.**

Wash toner off the skin with plenty of cool water and soap.

**Note:** Small amounts of toner on skin or clothing can easily be removed with soap and *cold* water. Hot water makes toner harder to remove.

## Hazardous Ingredients

### **Polyester (40-50% by weight)**

CAS#: Not available

OSHA PEL: Not available.

### **Magnetite (40-50% by weight)**

CAS#: 1309-38-2

OSHA PEL: Not available.

### **Propylene Wax (1-5% by weight)**

CAS#: Not available

OSHA PEL: Not available.

### **Ethylene/Propylene Resin (1-5% by weight)**

CAS#: Not available

OSHA PEL: Not available.

### **Amorphous Silica (1-5% by weight)**

CAS#: 7631-86-9

OSHA PEL: Not available.

## Physical Data

**Physical State:** Solid

**Melting/Freezing Point:** Not available

**Boiling Point:** Not applicable

**pH:** Not available.

**Vapor Pressure:** Not applicable

**Vapor Density (Air=1):** Not available

**Evaporation Rate (Butyl Acetate=1):** Not available

**Specific Gravity (H<sub>2</sub>O=1):** Not available

**Solubility in Water:** Negligible

**Solubility in Solvents:** Not available

**Coefficient of Water/Oil Distribution:** Not available

**Appearance and Odor:** Black powder, faint odor

**Odor Threshold:** Not available

## Fire and Explosion Hazard Data

**Flash Point (O°C):** Not applicable.

**Flammability:** Not flammable under conditions of use.

### **Flammable Limits**

**Lower Explosive Limit:** Not applicable

**Upper Explosive Limit:** Not applicable

**Auto-ignition Temperature:** Not applicable

### **Explosion Data**

Like most organic materials in powder form, the toner can form explosive mixtures when dispersed in air.

**Sensitivity to Mechanical Impact:** Not available

**Sensitivity to Static Discharge:** Not available.

**Extinguishing Media:** Water spray, foam, dry chemicals.

**Special Fire Fighting Procedures:** In case of fire, use extinguishing media. When mounted in the printer, treat as an electrical fire.

**Hazardous Combustion Products:** Not applicable

## Toxicological Properties

**Routes of Entry:** Inhalation, Ingestion, Eyes, Skin

**Effects of Acute Exposure** (based on toxicity data for similar materials and ingredients):

**Swallowed LD<sub>50</sub> (rat):** > 5000 mg/kg

**Skin LD<sub>50</sub> (rabbit):** > 5000 mg/kg

**Inhaled LC<sub>50</sub> (rat):** > 5 mg/L/4hr

**Effects of Chronic Exposure** (based on toxicity data for similar materials and ingredients): The results obtained from a sponsored, Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1 mg/m<sup>3</sup>) exposure level (i.e. the level most relevant to potential human exposure).

A very slight degree of fibrosis was noted in 25% of the animals at the middle (4 mg/m<sup>3</sup>) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m<sup>3</sup>) exposure level.

These findings are attributed to "lung overloading," a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially

available Oki toner, and would not be functionally suitable for Oki equipment.

**Exposure Limits, ACGIH TLV†:**

- *Total:* 10 mg/m<sup>3</sup>
- *Respirable:* 3 mg/m<sup>3</sup>

**Irritancy:** Not an irritant.†

**Sensitization (skin, guinea pig):** Not a sensitizer.†

**Carcinogenicity:** Not classified as "Carcinogens" †

*IARC: Refer to IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans (WHO International Agency for Research on Cancer).*

*NTP: Refer to National Toxicology Program (NTP) Report on Carcinogens (NTP).*

*OSHA:* Not available.

---

---

† Based on toxicity data for similar materials and ingredients.

---

---

**Reproductive Toxicity:** Not classified as "Reproductive and Development chemicals."

**Teratogenicity:** Not available.

**Mutagenicity (Ames Assay):** Negative.

**Name of Toxicologically Synergistic products:** Not available.

## Reactivity Data \_\_\_\_\_

**Stability:** Stable

**Conditions to Avoid:** Not available

**Polymerization:** Not available

**Hazardous Decomposition or Byproducts:** Not available

**Incompatibility:** Not available

## Preventive Measures \_\_\_\_\_

### Personal Protective Equipment

**Respiratory Protection:** Not normally required. For large spills (such as in bulk processing facilities), use dust respirator during cleanup.

**Protective Gloves and/or Eye Protection:** Not normally required. For large spills (such as in bulk processing facilities), use rubber gloves and safety goggles during cleanup.

### Engineering Controls

**Ventilation:** Outside of normal ventilation, not normally required. In bulk processing facilities, local exhaust ventilation may be required.

**Other Protective Equipment and/or Hygienic Practices:** None

## Spill Cleanup

### *Small Spills*

- 1 Remove sources of ignition.
- 2 Sweep up or soak up with a damp (cold water) cloth.

### *Large Spills (such as in processing facilities)*

- 1 Remove sources of ignition.
- 2 Keep unnecessary and unprotected personnel away from area.
- 3 Wear protective gear: respirator, rubber gloves, goggles.
- 4 After removing the bulk of the spill, wipe up remainder with a wet (cold water) cloth.
- 5 Place waste material in a closed container.

## Waste Disposal

Follow appropriate federal, state and local regulations.

## Precautions

**Precautions for Handling or Storage:** Do not incinerate toner or a print cartridge. Do not disassemble a print cartridge. Keep in a cool, dry, well-ventilated place. Keep out of reach of children.

**Other Precautions:** None

## Shipping Information

**Special Shipping Information:** Transport in accordance with national and local regulations.

## Preparation Date of MSDS \_\_\_\_\_

**Date:** November 1, 2003

### **Prepared by:**

Oki Data Americas, Inc.  
Engineering Services Department  
2000 Bishops Gate Blvd.  
Mt. Laurel, NJ 08054-4620

Tel: (856) 235-2600 FAX: (856) 222-5320

<http://www.okidata.com>

<http://my.okidata.com>